

CHANNELLOCK®

CHANNELLOCK®

CONTENTS PAGE

PLIERS
- Tongue and Groove 4, 5
- Long Nose 6
- Linemen's Electricians' 7
- Cutting Pliers 8, 9
- Cutting Nippers, Heavy Duty 9
- Slip Joint 10
- Electronics Long Reach 11
- Little Champ Precision 12

FENCE TOOL 11

BATTERY PLIER 11

HAMMERS 13

SCREWDRIVERS 14, 15

WRENCHES, ADJUSTABLE 16

SOCKET, ADJUSTABLE 16

SPECIAL PURPOSE TOOLS
- Snap Ring Plier 17
- Wiring Tool 17
- Wire Stripper-Cutter 17

SNIPS • Aviation, Metal Cutting 18

KNIVES • Skinning, Electrician's 19

The ALL-AMERICAN Tools

The tools offered here are special. All the engineering and technology behind them was conceived and developed in America. All the raw materials are made in America. All the labor used to produce them is performed by American craftsmen.

The quality of CHANNELLOCK tools reflects a tradition of dedication to excellence maintained for well over a century. We are proud of the men and women who carry on this tradition and thus give substance to our pledge . . .

FOR YOU WHO WANT THE BEST

© 1990 CHANNELLOCK, INC. • Meadville, PA 16335 • (814) 724-8700
TELEX 550854 • FAX NO. 1-800-962-2583

CHANNELLOCK®

WE DID MORE THAN INVENT IT . . .

We Made It Better with our patented, undercut tongue and groove design that assures strongest, can't-slip jaw action.

And Better with our patented reinforcing edge that minimizes stress breakage.

And Better with our patented PermaLock fastener. Far stronger, safer, and smoother working than the old-time bolt and nut.

And Better with our distinctive *CHANNELLOCK BLUE*™ dipped plastic comfort grips.

Only CHANNELLOCK® Gives You All Four

CHANNELLOCK®

TONGUE AND GROOVE PLIERS

NO.	ADJUSTMENTS	LENGTH		CAPACITY		WEIGHT	
410	4	9-1/2"	240 mm	1-1/8"	28.5 mm	16.67 oz.	473 g
415	7	10"	250 mm	2"	51 mm	13.33 oz.	378 g
420	5	9-1/2"	240 mm	1-1/2"	38 mm	12.33 oz.	350 g
422	5	9-1/2"	240 mm	1-1/2"	38 mm	12.33 oz.	350 g
424	3	4-1/2"	114 mm	1/2"	12.5 mm	1.33 oz.	38 g
426	5	6-1/2"	165 mm	7/8"	22 mm	5.33 oz.	151 g
430	7	10"	250 mm	2"	51 mm	13.33 oz.	378 g
440	7	12"	300 mm	2-1/4"	57 mm	20.67 oz.	586 g
442	7	12"	300 mm	2-1/4"	57 mm	20.67 oz.	586 g
460	8	16"	400 mm	4-1/4"	108 mm	48 oz.	1361 g

NOTE: *CHANNELLOCK BLUE*™ dipped plastic grips are offered only for hand comfort and improved appearance. They are **not** recommended or warranted for dielectric properties.



424

426

410

420

422

CHANNEL LOCK®

415

430

440

442



460

CHANNELLOCK®

LONG NOSE PLIERS

Slender, perfectly mated jaws with no side wobble provide a firm grip on fine work in tight places. Sharp, hand honed side cutters on some styles. Beautiful, high polished finish. *CHANNELLOCK BLUE*™ dipped plastic comfort grips.

NO.	SIDE CUTTER	LENGTH		WEIGHT	
317	Yes	7-1/2"	190 mm	7.81 oz.	221 g
318	Yes				
326	Yes	6"	150 mm	5.01 oz.	142 g
3017	No	7-1/2"	190 mm	7.33 oz.	208 g
3026	No	6"	150 mm	4.67 oz.	132 g
386	No	5-1/2"	140 mm	5.17 oz.	147 g



317



3017



318



3026



326



386

CHANNELLOCK®

LINEMEN'S • ELECTRICIANS' PLIERS

Heavy duty, precision made of special grade drop forged steel. Perfectly mated cutters are hand honed, properly hardened to hold their edge. *CHANNELLOCK BLUE*™ dipped plastic comfort grips.

NO.	DESCRIPTION	LENGTH		WEIGHT	
346	Rounded Nose	6″	150 mm	7.33 oz.	208 g
347	Rounded Nose	7″	175 mm	10 oz.	284 g
+348	Rounded Nose	8-1/2″	215 mm	14 oz.	397 g
3047	Bevel Nose	7″	175 mm	9.33 oz.	265 g
3048	Bevel Nose	8-1/2″	215 mm	16.51 oz.	468 g
3147	Wiring Plier w/Cutter	7″	175 mm	9.33 oz.	265 g
3148	Wiring Plier w/Cutter	8″	200 mm	15.84 oz.	449 g
349	WIREMASTER high leverage plier. Enclosed-joint design holds cutters in perfect alignment for life of plier	9″	225 mm	17.33 oz.	491 g
350S	Ironworkers Plier. Specially designed for tieing concrete reinforcing bars. Coiled spring for positive jaw opening	9″	225 mm	12.51 oz.	355 g
•369	High leverage, rounded nose	9″	225 mm	17.01 oz.	482 g

+ Western Electric Spec. B8
• Western Electric Spec. B9



346 • 347 • 348



349

3047 • 3048



350S

3147 • 3148

369

CHANNELLOCK®

CUTTING PLIERS

Hand honed, perfectly mated cutters scientifically heat treated to hold their edge. Precision made of fine polished forged steel. *CHANNELLOCK BLUE*™ dipped plastic comfort grips.

NO.	DESCRIPTION	LENGTH		WEIGHT	
308	Short Nose Shearing Plier. High leverage design for easy cutting of channel iron flanges.	8″	200 mm	11.33 oz.	321 g
337	Lap joint	7″	175 mm	8.51 oz.	241 g
338	Lap joint	8″	200 mm		
337W	Wiring Plier. Cuts, Strips insulation and loops wire. Patented insulation stripping notches for 14 and 12 gauge wire	7″	175 mm	8.83 oz.	250 g
435	Box joint	5″	125 mm	4.67 oz.	132 g
436	Box joint	6″	150 mm	6.35 oz.	180 g
436S	Box joint. Coiled spring	6″	150 mm	6.83 oz.	194 g

308



337W



337 • 338



435



436



436S

CHANNELLOCK®

CUTTING PLIERS

NO.	DESCRIPTION	LENGTH		WEIGHT	
437	Box joint	7"	175 mm	7.84 oz.	222 g
447	Curved diagonal. Box joint	7-3/4"	195 mm	10.67 oz.	302 g
486S	Plastic Cutting Diagonal. Coiled spring. Cutters honed flush for clean trim of molded plastic sprues	6"	150 mm	6.35 oz.	180 g
356	End Cutter	6"	150 mm	7.84 oz.	222 g
357	End Cutter	7"	175 mm	11.33 oz.	321 g
358	End Cutter	8"	200 mm	12.00 oz.	340 g
148-10	Cutting nippers. Specially designed for easy cutting of large nails, small spikes, form tie wires.	10"	250 mm	20.51 oz.	581 g
148-14	Cutting nippers. Specially designed for easy cutting of large nails, small spikes, form tie wires.	14"	350 mm	35.84 oz.	1016 g



437

486S

447



356 • 357 • 358



148

CHANNELLOCK®

SLIP JOINT PLIERS

Top quality pliers made of fine polished drop forged steel. PermaLock© fasteners. *CHANNELLOCK BLUE*™ dipped plastic comfort grips.

NO.	DESCRIPTION	LENGTH		WEIGHT	
516	Thin nose. Wire cutting shear	6″	150 mm	6.83 oz.	194 g
526	Popular priced. Wire cutting shear	6″	150 mm	8.85 oz.	251 g
537	Precision tool with fine side cutter	7″	175 mm	9.01 oz.	255 g
546	Our finest. Heavy duty. Wire cutting shear	6″	150 mm	8.35 oz.	237 g
548	Our finest. Heavy duty. Wire cutting shear	8″	200 mm	10.51 oz.	298 g
5410	Our finest. Heavy duty. Wire cutting shear	10″	250 mm	13.33 oz.	378 g



516



537

526



546 • 548

5410

CHANNELLOCK®

LONG REACH PLIERS

Long reach pliers specially designed for electronics and electrical work. Fine polished drop forged steel. Precision matched jaws. Hand honed, specially hardened cutting edges. *CHANNELLOCK BLUE*™ dipped plastic comfort grips.

NO.	DESCRIPTION	LENGTH		WEIGHT	
718	Long reach flat nose	8"	200 mm	7.57 oz.	215 g
728	Long reach diagonal cutter	7-1/2"	190 mm	6.83 oz.	194 g
738	Long reach needle nose	8"	200 mm	7.17 oz.	203 g
748	Long reach end cutter	8"	200 mm	7.49 oz.	212 g

718

738

728



748

MISCELLANEOUS

NO.	DESCRIPTION	LENGTH		WEIGHT	
85	FENCE TOOL. Specially designed for installing and maintaining wire fence on metal or wood posts. Hammer on one jaw, staple starter and puller on the other. Wire stretcher, splicer, and two cutters.	10-1/2"	265 mm	22.83 oz.	647 g
307	BATTERY PLIER. Drop forged of special grade steel. Fine polished finish.	7"	175 mm	6.35 oz.	180 g

85

307

LITTLE CHAMP®
PRECISION PLIERS

Finest quality, small pliers specially designed for delicate bench work. Widely used in electronics work, model making, jewelry and watch repair. Drop forged from high grade steel. Precision made and polished to a jeweler's finish. *CHANNELLOCK BLUE*™ dipped plastic comfort grips. Packed five per carton.

NO.	DESCRIPTION	LENGTH		WEIGHT	
40S	Flush cutting, Sharp Nose Diagonal, Coiled Spring	4-1/4"	108 mm	2.51 oz.	71 g
41	Diagonal Cutter	4-1/4"	108 mm	2.51 oz.	71 g
41S	Diagonal Cutter, Coiled Spring	4-1/4"	108 mm	2.51 oz.	71 g
42	End Cutting Nipper	4"	100 mm	2.51 oz.	71 g
43	Needle Nose, No Side Cutter, Plain Nose	4-3/4"	120 mm	2.51 oz.	71 g
43S	Needle Nose, No Side Cutter, Plain Nose, Coiled Spring	4-3/4"	120 mm	2.51 oz.	71 g
44	Flat Nose	4-3/4"	120 mm	2.51 oz.	71 g
45	Round Nose	4-1/2"	114 mm	2.51 oz.	71 g
47	Needle Nose, Side Cutter, Nose Serrations	4-3/4"	120 mm	2.51 oz.	71 g
47S	Needle Nose, Side Cutter, Nose Serrations, Coiled Spring	4-3/4"	120 mm	2.51 oz.	71 g
48	Transverse End Cutter	4-3/4"	120 mm	2.35 oz.	67 g
49	Curved Needle Nose	4-1/2"	114 mm	2.67 oz.	76 g
50S	Extra Long Needle Nose, Coiled Spring	5-3/4"	146 mm	2.51 oz.	71 g

40S

43 • 43S

48

44

41 • 41S


49


45


42


47 • 47S

50S

CHANNELLOCK®

HAMMERS

For you who want a hammer that looks better, feels better, works better year after year, CHANNELLOCK hammers are your answer. Here's why:

- ANVIL-TESTED TOUGHNESS. Every CHANNELLOCK hammer is factory tested for precise face and pein toughness.
- LOK-WEDGED HANDLE. Special wedging technique locks handle into head.
- HIGH POLISHED FACE and PEIN. Top quality workmanship in every detail.
- FLAME TOUGHENED HICKORY HANDLE. Still the professional's choice for feel, balance, comfort.

BALL PEIN HAMMERS

Drop forged steel, LOK-WEDGED, flame toughened hickory handle. Polished ball, face and side. Thermal-tempered peins and faces, anvil-tested before shipment.

NO.	WT. EACH	NO. CTN.
2004	4 oz.	5
2008	8 oz.	5
2012	12 oz.	5
2016	1 lb.	5
2020	1-1/4 lbs.	5
2024	1-1/2 lbs.	5
2032	2 lbs.	5
2040	2-1/2 lbs.	2
2048	3 lbs.	2

Govt. Specs. GGG-H-86a—Type L, Class 1, Weight 2 oz. to 2-1/2 lbs. (includes all sizes except No. 2048).

SINGLE-FACE HEAVY DUTY HAMMERS

Drop forged steel, LOK-WEDGED, flame toughened hickory handle. Polished face. Thermal-tempered faces, anvil-tested before shipment.

NO.	WT. EACH	NO. CTN.
6232	2 lbs.	5
6240	2-1/2 lbs.	5
6248	3 lbs.	5
6256	3-1/2 lbs.	2
6264	4 lbs.	2

DOUBLE-FACE HEAVY DUTY HAMMERS

Drop forged steel, LOK-WEDGED, flame toughened hickory handle. Polished face. Thermal-tempered faces, anvil-tested before shipment.

NO.	WT. EACH	NO. CTN.
1640	2-1/2 lbs.	5
1648	3 lbs.	5

Always wear safety goggles when using striking tools. A mushroomed or chipped hammer should be discarded.

SCREWDRIVERS

The HOLD-E-ZEE® Advantage

HOLD-E-ZEE®



NO.	HEX DIAMETER		BLADE LENGTH		OVERALL LENGTH	
52H	5/32"	4 mm	2"	50 mm	4"	100 mm
53H	5/32"	4 mm	3"	75 mm	5-3/4"	145 mm
54H	5/32"	4 mm	4"	100 mm	7-1/4"	185 mm
56H	5/32"	4 mm	6"	150 mm	9-5/8"	245 mm
58H	5/32"	4 mm	8"	200 mm	11-5/8"	295 mm
510H	5/32"	4 mm	10"	255 mm	13-5/8"	345 mm
72H	7/32"	5.5 mm	1-3/4"	45 mm	4-1/4"	110 mm
74H	7/32"	5.5 mm	4"	100 mm	8"	200 mm
77H	7/32"	5.5 mm	6.6"	170 mm	11"	270 mm
104H	5/16"	8 mm	4"	100 mm	8"	200 mm
106H	5/16"	8 mm	6"	150 mm	10"	250 mm
108H	3/8"*	8 mm	8"	200 mm	12-3/4"	325 mm
110H	3/8"*	8 mm	10"	250 mm	14-3/4"	375 mm

*Tip Width

STANDARD

NO.	HEX DIAMETER		BLADE LENGTH		OVERALL LENGTH	
52	5/32"	4 mm	2"	50 mm	4"	100 mm
54	5/32"	4 mm	4"	100 mm	7-1/4"	185 mm
56	5/32"	4 mm	6"	150 mm	9-5/8"	245 mm
58	5/32"	4 mm	8"	200 mm	11-5/8"	295 mm
72	7/32"	5.5 mm	1-3/4"	45 mm	4-1/4"	110 mm
74	7/32"	5.5 mm	4"	100 mm	8"	200 mm
77	7/32"	5.5 mm	6.6"	170 mm	11"	270 mm
106	5/16"	8 mm	6"	150 mm	10"	250 mm
108	3/8"*	8 mm	8"	200 mm	12-3/4"	325 mm
110	3/8"*	8 mm	10"	250 mm	14-3/4"	375 mm

* Tip Width

HOLD-E-ZEE® Phillips®

Point No. 1 + Point No. 2 +

NO.	HEX DIAMETER		BLADE LENGTH		OVERALL LENGTH	
P12H	5/32"	4 mm	2"	50 mm	4-5/8"	120 mm
P14H	5/32"	4 mm	4"	100 mm	7-1/4"	185 mm
P16H	5/32"	4 mm	6"	150 mm	9-1/2"	240 mm
P22H	7/32"	5.5 mm	2"	50 mm	4-1/2"	100 mm
P24H	7/32"	5.5 mm	4"	100 mm	8"	200 mm
P27H	7/32"	5.5 mm	6-3/4"	170 mm	11"	270 mm

STANDARD Phillips®

Point No. 1 + Point No. 2 + Point No. 3 +

NO.	HEX DIAMETER		BLADE LENGTH		OVERALL LENGTH	
P14	5/32"	4 mm	4"	100 mm	7-1/4"	185 mm
P24	7/32"	5.5 mm	4"	100 mm	8"	200 mm
P36	5/16"	8 mm	6"	150 mm	10"	250 mm

CUSHION GRIP HOLD-E-ZEE®

NO.	HEX DIAMETER		BLADE LENGTH		OVERALL LENGTH	
55CH	5/32"	4 mm	5"	125 mm	8-3/4"	220 mm
75CH	7/32"	5.5 mm	5"	125 mm	9-1/4"	230 mm
105CH	5/16"	8 mm	5"	125 mm	10"	255 mm
107CH	5/16"	8 mm	7"	175 mm	12"	300 mm

NUT DRIVERS

Full Hollow Shaft, Color Coded

NO. AND SIZE	BLADE LENGTH		OVERALL LENGTH	
3/16 ND	3"	76 mm	7"	178 mm
1/4 ND	3"	76 mm	7"	178 mm
5/16 ND	3"	76 mm	7"	178 mm
11/32 ND	3"	76 mm	7"	178 mm
3/8 ND	3"	76 mm	7"	178 mm
7/16 ND	3-1/4"	83 mm	7-1/4"	185 mm
1/2 ND	3-1/4"	83 mm	7-1/4"	185 mm

CUSHION GRIP HOLD-E-ZEE® Phillips®

Point No. 1 + Point No. 2 +

NO.	HEX DIAMETER		BLADE LENGTH		OVERALL LENGTH	
P15CH	5/32"	4 mm	5"	125 mm	8-3/4"	220 mm
P25CH	7/32"	5.5 mm	5"	125 mm	9-1/4"	230 mm

SCREWDRIVERS

4 'n 1 SCREWDRIVERS



NO.	FOR USE WITH	BIT	TIP #1	TIP #2
AT-41	Torx® Screws	TX1520	15	20
	Slotted & Phillips Screws	SP42	1/4	#2
MX-41	Slotted & Phillips Screws	SP40	3/16	#1
		SP42	1/4	#2
TX-41	Torx® Screws Only	TX1520	15	20
		TX2530	25	30
RV-41	Slotted & Phillips Screws	SP42	1/4	#2
	Clutch Head & Square Recess	CS52	5/32 CL	SL-2
RV-51	Same as RV-41 Above Plus 1/4" Nutdriver			
SL-41	Square Recess Screws	SL50	SL-0	SL-3
		SL52	SL-1	SL-2

SQUARE RECESS

NO. & SIZE	SCREW SIZES	BLADE LENGTH		OVERALL LENGTH	
SL-0	#3, #4	3.5"	90 mm	7.5"	190 mm
SL-1	#5, #6, #7	3.5"	90 mm	7.5"	190 mm
SL-2	#8, #9, #10	3.5"	90 mm	7.5"	190 mm
SL-3	#12, #14	3.5"	90 mm	7.5"	190 mm

INSULATED

NO.	HEX DIAMETER		BLADE LENGTH		OVERALL LENGTH	
53I	5/32"	4 mm	3"	75 mm	5-3/4"	150 mm
56I	5/32"	4 mm	6"	150 mm	9-5/8"	245 mm
77I	7/32"	5.5 mm	6-3/4"	170 mm	11"	270 mm
106I	10/32"	8 mm	6"	150 mm	10"	250 mm
108I	3/8"*	8 mm	8"	200 mm	12-3/4"	325 mm
110I	3/8"*	10 mm	10"	250 mm	14-3/4"	375 mm

*Tip Width

SCREWDRIVER FOR TORX® SCREWS*

NO. AND SIZE	NO. AND SIZE	NO. AND SIZE	NO. AND SIZE
TX-6	TX-10	TX-25	TX-45
TX-7	TX-15	TX-27	TX-50
TX-8	TX-L15	TX-30	
TX-9	TX-20	TX-40	

* TORX® is not a CHANNELLOCK, INC. trademark

INSULATED

Point No. 1 + Point No. 2 + Point No. 3 +

NO.	HEX DIAMETER		BLADE LENGTH		OVERALL LENGTH	
P14I	5/32"	4 mm	4"	100 mm	7-1/4"	180 mm
P24I	7/32"	5.5 mm	4"	100 mm	8"	200 mm
P36I	5/16"	8 mm	6"	150 mm	10"	255 mm

Insulated Screwdrivers: Insulation is intended for secondary protection only. Safe for use up to 2000 volts.

TIRE VALVE TOOL

TVT Tire Valve Tool

CLUTCH HEAD

NO. AND SIZE	BLADE LENGTH		OVERALL LENGTH	
5/32 CL	4"	100 mm	8"	200 mm
3/16 CL	4"	100 mm	8"	200 mm
1/4 CL	6"	150 mm	10"	250 mm
5/16 CL	6"	150 mm	10"	250 mm

SCRATCH AWLS



NO.	BLADE LENGTH		OVERALL LENGTH	
SA-1	3-3/4"	95 mm	6-3/8"	160 mm
SA-2	3-3/4"	95 mm	7"	180 mm

CHANNEL LOCK®

ADJUSTABLE WRENCHES

Drop forged of special analysis steel. Heat treated for maximum toughness and proper hardness of working surfaces. Chromium plated. Thin, strong, streamlined for maximum usefulness and durability. Packed in individual boxes. Available either with or without *CHANNELLOCK BLUE*™ dipped plastic cushion-grip handles.



SPECIFICATION TABLE

NO.	SIZE	CAPACITY	THICKNESS OF HEAD JAW TIP	THICKNESS OF HEAD THICKEST POINT
804	4"	1/2"	1/8"	5/16"
806	6"	3/4"	7/32"	3/8"
808	8"	15/16"	9/32"	15/32"
810	10"	1-1/8"	13/32"	19/32"
812	12"	1-5/16"	15/32"	3/4"
815	15"	1-11/16"	19/32"	15/16"

No. 815—15" has Tapered Handle. Packed only in individual box. All Tool Numbers above conform to Govt. Spec. GGG-W-631a—Type 1.

NOTE: When ordering wrenches with plastic grips, specify by adding suffix letter G to Tool No. Example: 808G.

These 3 Adjustables REPLACE 39 Individual Sockets

No. 905 1/4" Drive

Inches	mm
3/16	5
7/32	6
1/4	7
9/32	8
5/16	9
11/32	10
3/8	11
13/32	
7/16	

No. 906 3/8" Drive

Inches	mm
5/16	8
11/32	9
3/8	10
13/32	11
7/16	12
15/32	13
1/2	14
17/32	15
9/16	16
19/32	
5/8	

No. 904 1/2" Drive

Inches	mm
9/16	14
19/32	15
5/8	16
11/16	17
3/4	18
13/16	19
7/8	20
15/16	21
	22
	23
	24

NO MORE NEED for an army of individual sockets. These three CHANNELLOCK Adjustables replace 39 individual sockets, both standard and metric sizes. Precision made of high grade forged steel, they carry a LIFETIME GUARANTEE.

EASY TO USE

Place adjustable socket over nut or bolt, rotate knurled collar to tightest fit. Triple action jaws are closed into a can't-slip grip.

DOUBLES AS A NUTDRIVER. Just connect a spinner handle to adjustable socket No. 905-1/4" or No. 906-3/8".



No. 906K HANDICARRY KIT

This 20-tool-in-one unit contains one each:

- CHANNELLOCK 906 Adjustable Socket
- No. 906R 3/8" Ratchet Wrench
- No. 906H Leather Holster with Spring Metal Snap-On-Belt Loop.



CHANNELLOCK®

CONVERSION SNAP RING PLIER

Works On Both Internal And External Rings

This unique plier is quickly converted for use with either external or internal rings by a simple finger adjustment of two sliders. See sketches. No special tools required. No time consuming change of a pivot screw. One plier does it all.

- Serves external rings 1/2" to 2" and internal rings 3/8" to 2"
- Color-coded tips are changed in seconds. Five pairs included with plier:
  .038 Black - Straight and 90° Bend
  .047 Silver - Straight and 90° Bend
  .070 Gold - Straight Only
- *CHANNELLOCK BLUE*™ plastic comfort grips with SEALED air pockets that keep out grease and dirt.

907

CONVERSION INSTRUCTIONS

Squeeze handles to release lock.

Line up silver sliders.

Thumb-push sliders until seated.

WIRING TOOL

Length 8-1/4". Multi-purpose wiring tool. Strips wire with no damage to conductor. Cuts wire with clean, scissors action. Cuts machine bolts without damaging threads. Crimps both insulated and non-insulated wire. Lean plier-nose loops wire ends. *CHANNELLOCK BLUE*™ plastic cushion grips. Packed five per carton.

908

WIRE STRIPPER — CUTTER

Handy, light weight, dual purpose wire tools. Strips insulation fast, with no damage to wire. Cuts copper wire cleanly. Scissor type blades are precision ground and specially heat treated for long life. Lean plier nose pulls, loops wire ends. Highly visible AWG and mm. wire gauge sizes painted and embossed in the metal. *CHANNELLOCK BLUE*™ plastic comfort grips.

TOOL NO.	WIRE GAUGE SIZES	
958	AWG	10, 12, 14, 16, 18, 20
	mm.	.80, 1.0, 1.3, 1.6, 2.0, 2.6
968	AWG	16, 18, 20, 22, 24, 26
	mm.	.40, .50, .65, .80, 1.0, 1.3
978	AWG	22, 24, 26, 28, 30
	mm.	.40, .50, .65, .80, 1.0, 1.3

Wt. approx. 40 oz., 100 grams. Length approx. 6", 155 mm. Packed five per carton.

CHANNEL LOCK®

AVIATION SNIPS

Excellent for cutting 18-gauge or heavier cold rolled steel. Compound action provides maximum cutting power with minimum effort. High polished, individually fitted blades with serrations to grip metal assure smooth, positive, easy cutting. Easy action latch. Blades drop forged of molybdenum alloy tool steel scientifically heat treated for extra strength and toughness. Furnished only with heavy, dipped plastic cushion grips.

TOOL NO.	ACTION	LENGTH	CUT
609R	Cuts Right	10"	1-3/8"
609S	Cuts Straight	10"	1-1/2"
609L	Cuts Left	10"	1-3/8"

609R

609S

609L

METAL CUTTING SNIPS

Wonderful for cutting sheet metal, screening, wire, leather, gasket materials, rubber, plastics, linoleum, roofing and other such materials. Individually fitted hollow ground blades assure easy positive cutting. Furnished only with blue heavy vinyl hand-ease cushion grips.

TOOL NO.	DESCRIPTION	LENGTH	CUT
607	Straight	7"	1-3/4"
610	Straight	10"	2-1/2"
612	Straight	12-1/2"	3"
610D	Duckbill	10"	2-1/2"
612D	Duckbill	12-1/2"	3"



STRAIGHT SNIPS



DUCKBILL

LIGHT METAL AND WIRE CUTTING SHEARS

Handy, multi-purpose snips for cutting wire, sheet metal, rope, yarn or even paper. Handles spring actuated for easy operation. Drop forged, scientifically heat treated carbon tool steel. Precision ground cutting edges. Durable blue vinyl grips.

TOOL NO.	DESCRIPTION	LENGTH	CUT
606	Long Nose	6-1/2"	1-1/4"



606

CHANNELLOCK®

KNIVES

Unbreakable phenolic plastic handles. Positive blade lock prevents accidental closing of blade. Slight thumb pressure releases safety lock. Furnished with shackle.

No. 10 — Skinning Knife has 3" precision-honed curved steel blade. Closed length 4".

No. 11 — Electrician's Knife has 2-1/2" precision honed blade and a 3" sturdy screwdriver. Closed length 3-1/4".



Both the specific color blue and the words *CHANNELLOCK BLUE*™ are trademarks of CHANNELLOCK, INC.

IMPORTANT NOTES:

- The U. S. Patent and Trademark Office has approved the application filed by CHANNELLOCK, INC. to claim exclusive rights to the color *CHANNELLOCK BLUE*™, the color of CHANNELLOCK's dipped blue plastic grips.
- *CHANNELLOCK BLUE*™ plastic grips are offered solely for trademark purposes and hand comfort. They are **not** intended, recommended, or warranted for dielectric properties.

INDUSTRIAL DISTRIBUTORS

NRHA National Retail Hardware Association

AHMA member American Hardware Manufacturers Association

NWHA NATIONAL WHOLESALE HARDWARE ASSOCIATION

STAFDA ASSOCIATE

HAND TOOLS INSTITUTE HTI CONSUMER • SAFETY • PROTECTION

© 1990 CHANNELLOCK, INC. • Meadville, PA 16335 • (814) 724-8700
TELEX 550854 • FAX NO. 1-800-962-2583

CHANNEL LOCK®

DOMESTIC SALES REPRESENTATIVES

So. California, So. Nevada, Arizona
California, Alhambra 91803
J.J. BROWN COMPANY
2833 W. Valley Blvd.
P. O. Box 3428
Phone 213-283-1322
FAX 818-284-9844

Northern California, Northern Nevada, Hawaii
Calif., S. San Francisco 94080
J.J. BROWN COMPANY
139 Mitchell Ave.
Phone 415-589-5775
FAX 415-589-7669

Colo., N.M., Utah, Wyo., El Paso, TX, Mont.
Colorado, Aurora 80041
DONNELLY ASSOCIATES
12101 E. 2nd Ave., Suite 104B
P. O. Box 31835
Phone 303-360-7915
FAX 303-329-6163

Florida
Florida, Ft. Lauderdale 33310
STATE SIDE SALES
P. O. Box 5826
Phone 305-566-9877
FAX 305-566-0088

Ala., Ga., Eastern Tenn., Miss.
Alabama, Birmingham 35236
CONNER SALES COMPANY
3545 Lornaridge Dr.
Suite 200
P. O. Box 36788
Phone 205-979-4013
FAX 205-979-4065

Illinois, Wisconsin
Illinois, Elmhurst 60126
MUZZY and PETERS
509 W. Wrightwood Ave.
Phone 708-833-0016
FAX 708-833-0018

New England
Mass., Avon 02322
SAWYER ASSOCIATES
143 Pond Street
Phone 508-586-8950
FAX 508-941-5899

Michigan
Michigan, Birmingham 48011
R. F. NEHLS COMPANY
950 N. Hunter Blvd.
Suite #2
Phone 313-540-6313
FAX 313-540-5218

Indiana, Kentucky, W. Virginia, W. Tenn.
Indiana, Clarksville 47130
C. D. CLINARD SALES CO.
519 E. 131, Suite 3
P.O. Box 2121
Phone 812-283-0955
FAX 812-282-6404

Minn., N. D., S. D.
Minnesota, Minneapolis 55435
WITTA SALES CO.
Suite 159
4530 W. 77th Street
Phone 612-835-5818
FAX 612-835-0968

Upstate New York
New York, Rochester 14620
UNY MARKETING
1289A Monroe Avenue
P. O. Box 10672
Phone 716-244-7949
FAX 716-244-0137

Kan., Neb., Iowa, Missouri
Kansas, Lenexa 66214
CHARLES H. KOSLOWSKY CO.
11633 W. 83rd Terrace
Phone 913-492-4224
FAX 913-492-0308

N. Y., Eastern Penna., Md., N. J., D. C., Del.
New Jersey, Brick 08723
A. P. HENRICKS CO., INC.
1107D Industrial Parkway
P. O. Box 1149
Phone 201-840-1806
FAX 201-840-9335

Ohio, Western Penna.
Ohio, Westlake 44145
HOWARD W. MURRAY CO.
28901 Clemens Road
Phone 216-835-9390
FAX 216-835-3776

Texas, Okla., Ark., La.
Texas, Garland 75046-0822
QUALITY LINE SALES, INC.
P.O. Box 460822
Phone 214-487-8414
FAX 214-494-5670

Virginia, North Carolina, South Carolina
Virginia, Danville 24541
ROBERT L. RIGNEY & CO.
114 Gloucester Avenue
Phone 804-792-4005
FAX 804-792-4005

Wash., Ore., Idaho, Alaska
Washington, Bellevue 98006
RABE SALES COMPANY
4418 155th Avenue SE
P. O. Box 5512
Phone 206-644-2085
FAX 206-643-3076

EXPORT SALES AGENCY

Canada
PETERSEN CANADA INC.
5865 Coopers Avenue
Mississauga, Ontario
Canada L4Z 1R9
Phone 416-890-0334
FAX 416-890-7037

AMERICAN TOOL COMPANIES, INC.
Suite 600, Cornhusker Plaza
301 S. 13th Street
Lincoln, Nebraska 68508
Phone 402-435-3300
Telex 910 622 0018 VISE-GRIP LCN
FAX 402-435-3619

Europe, Middle East, Africa
AMERICAN TOOL COMPANIES, INC.
24, Bd Fleur de Lys, Bte 11
B-1400 Nivelles, Belgium
Phone 32-67-21 04 36
Telex 56047 PETERS b
FAX 32-67-21 74 95

Far East, Australasia
AMERICAN TOOL COMPANIES, INC.
Room 1203, 12th Floor
147 Chienkwo N. Road, Sec. 2
Taipei, Taiwan
Republic of China
Phone 886-2-503 4201
FAX 886-2-503 4202

A.T.C. TOOLS AUSTRALASIA PTY. LIMITED
4A Melrich Road, Bayswater
Victoria 3153, Australia
Phone 03-762-6722
Toll Free 008-331-491
FAX 03-762-6709

Latin America, Caribbean
AMERICAN TOOL COMPANIES, INC.
P.O. Box 52-0945
Miami, Florida 33152-0945
Phone 305-470-2226
FAX 305-471-0959

CHANNELLOCK, INC. • Meadville, Pennsylvania 16335 • Phone (814) 724-8700 • Telex 55-0854
Fax No. 1-800-962-2583

© 1990 CHANNELLOCK

2/90 Printed in U.S.A.